Bath Replacement Shower Tray Datasheet

Technical Data		
Tray height	All 40mm in height	
Handing	Universal (not handed)	
Waste outlet position	Multiple positions (see drawings)	
Trap Size	90mm aperture in tray	
Waste options	Shower tray can accept either gravity or pumped waste by selecting the correct trap or pump kit (pump kits available seperately)	
Sizes available	1200mm x 900mm, 1700mm x 750mm, 1700mm x 850mm	
Cut to length version BRT1775M/C (1700 x 750mm), BRT1785M/C (1700x 850mm)	Can be cut to length to suit wall to wall measurement. When cut to length the end caps (BRTM/EC75, BRTM/EC85) are required. Minimum achievable length of tray (including 135mm end cap) is 1220mm. Minimum cut length of tray is 1085mm.	
Construction	Multi layer GRP with durable polyester gelcoat upper surface	
Installation	We recommend bedding the tray on either tile adhesive or expanding foam to offer additional support to the shower tray base	
Standards	CE marked to EN 14527 Slip resistance to category B DIN 51097	
Supplied with	IMOR/H 90mm (43mm horizontal outlet) waste trap (50mm water seal), flexible waterproof self-adhesive tiling upstand (US12350)	
Available accessories	Access ramp kit **RDR** (ramp straight with right and left end caps). Access ramp kit with corner **RDRKIT** (RDR and corner). Shower tray end caps (**BRTM/EC75**, **BRTM/EC85**)	
Waste trap options available from Impey	Shower tray can accept either gravity or pumped waste by selecting the correct trap or pump kit (pump kits available seperately)	
Flow rates (L/min, approx., measured using IMOR/H waste trap)	BRT129M	36.5
	BRT1775M/C	36.0
	BRT1785M/C	36.0
Weight (kg, approx.)	BRT129M	15.0
	BRT1775M/C	20.0
	BRT1785M/C	20.5

Impey Showers Ltd reserves the right to change the design of specification without prior notice. All values are approximate.

impey

Bath Replacement Shower Tray 1200x900mm
BRT129M



PRODUCT/CODE



Bath Replacement Shower Tray 1200 x 900 mm / BRT129M



Waste gully with horizontal outlet / IMOR/H



Waste gully with vertical outlet / IMOR/V



Waste gully for pumped drainage / IMOR/P



Slimline waste gully with horizontal outlet / SLW2STCP/H

impey

Bath Replacement Shower Tray 1700x750mm
BRT1775M/C



PRODUCT/CODE



Bath Replacement Shower Tray 1700 x 750 mm / BRT1775M/C



Waste gully with horizontal outlet / IMOR/H



Waste gully with vertical outlet / IMOR/V



Waste gully for pumped drainage / IMOR/P



Slimline waste gully with horizontal outlet / SLW2STCP/H

impey

Bath Replacement Shower Tray 1700x850mm
BRT1785M/C



PRODUCT/CODE



Bath Replacement Shower Tray 1700 x 850 mm / BRT1785M/C

Waste gully with horizontal outlet / IMOR/H



Waste gully with vertical outlet / IMOR/V



Waste gully for pumped drainage / IMOR/P



Slimline waste gully with horizontal outlet / SLW2STCP/H

Bath Replacement Shower Tray Accessories

750mm End Cap
(BRTM/EC75)



850mm End Cap
(BRTM/EC85)



RDR



2000mm
Access Ramp



LH Ramp
End Cap



RH Ramp
End Cap

RDRKIT



2000mm
Access Ramp

LH Ramp
End Cap



RH Ramp
End Cap



Ramp Corner
Section

impey

Declaration of Performance

We:

Impey Showers Limited, Conquest Business Park, Ilton, Somerset TA19 9EA

Declare that:

CEST003 Bath Replacement Shower Trays

In accordance with the following:

- Mandate M/110[2]
- EU Construction products Directive (89/106/EEC)

Fully conform to the scope and relevant characteristics from Annex ZA from the following standard:

BS EN 14527:2006+A1:2010 Shower trays for domestic purposes

Table ZA.1 – Scope and relevant clauses:

Construction Product: Shower trays as covered by scope of this standard **Intended Use:** Personal hygiene			
Essential Characteristics	Requirement clauses in this European Standard	Mandated levels and/or classes	Notes
Cleanability	4.2	None	Pass
Durability	4.4	None	Pass

Table ZA.2 – System of attestation of conformity:

Product	**Intended Use**	**Level(s) or class(es)**	**Attestation of conformity system**
Shower Tray	Personal hygiene	-	4
System 4: See Directive 89/106/EEc (CPD), Annex III.2(ii), third possibility			

Table ZA.3 – Assignment of evaluation of conformity tasks:

Tasks		**Content of tasks**	**Evaluation of conformity clauses to apply**
Task for the manufacturer	Initial type testing	All relevant characte-ristics of Table ZA.1	7.3
	Factory production control	Parameters related to all relevant characteristics of Table ZA.1	7.2

I hereby declare that our shower trays have been tested and fully conform to the scope and relevant characteristics of BS EN 14527:2006+A1:2010 to meet the requirements of mandate M/110[2] and the EU Construction Products Directive (89/106/EEC).

Signed by: **Date:** 26/06/13

R Jarvis (New Product Director)

CE