Half height doors
ELEVATE - dimensions

20-09-16
Issue 2

WIDTH DIMENSIONS
Adjustment at each wall channel: 25mm

Overall width
Alcove options: Nominal + 0 -50mm (ie a 1200 wide enclosure will adjust from 1150-1200mm)
Corner options : Nominal + 0 -25mm (ie a 1200 wide enclosure will adjust from 1175-1200mm)



Fixed panel width
Option C
300 to 325
400 to 425
600 to 625
700 to 725
750 to 775
800 to 825
400 to 425 (All other options with fixed panels)







Glazing 2.5mm thick PETG sheet - embossed texture.

Frame Aluminium alloy. White finsh. Extruded to BS EN 755-9

© CORAM SHOWERS LTD 2016

Half height doors
FREEGLIDE - dimensions

WIDTH DIMENSIONS
Adjustment at each wall channel: 25mm

Overall width
Alcove options: Nominal + 0 -50mm (ie a 1200 wide enclosure will adjust from 1150-1200mm)
Corner options : Nominal + 0 -25mm (ie a 1200 wide enclosure will adjust from 1175-1200mm)



Fixed panel width
Option C
300 to 325
400 to 425
600 to 625
700 to 725
750 to 775
800 to 825
400 to 425 (All other options with fixed panels)







Glazing 2.5mm thick PETG sheet - embossed texture.

Frame Aluminium alloy. White finsh. Extruded to BS EN 755-9

© CORAM SHOWERS LTD 2016

Half height doors
SHOWER CURTAIN RAIL - dimensions

Dimensions can be reduced by trimming the rail

STRAIGHT RAIL



1330mm Max - 1300 rail
2030mm Max - 2000 rail
2530mm Max - 2500 rail

L SHAPED RAIL



640mm Max - standard tube
1240mm Max - longer tube

915mm Max - 900x900 rail
1215mm Max - 1200x1200 rail
1315mm Max - 1300x900 rail
1515mm Max - 1500x900 rail
1515mm Max - 1500x1200 rail
1815mm Max - 1800x900 rail

Radius 300

915mm Max - 900x900 rail
1215mm Max - 1200x1200 rail
915mm Max - 1300x900 rail
915mm Max - 1500x900 rail
1215mm Max - 1500x1200 rail
915mm Max - 1800x900 rail

U SHAPED RAIL



640mm Max - standard tube
1240mm Max - longer tube

815mm Max - 800x1600x800 rail
825mm Max - 810x740x810 rail
875mm Max - 860x860x860 rail
915mm Max - 900x1230x900 rail
915mm Max - 900x1330x900 rail
965mm Max - 950x950x950 rail
1015mm Max - 1000x1000x100 rail
1165mm Max - 1150x1150x1150 rail
1215mm Max - 1200x1450x1150 rail

Radius 300

1480mm - 800x1600x800 rail
620mm - 810x740x810 rail
740mm - 860x860x860 rail
1110mm - 900x1230x900 rail
1210mm - 900x1330x900 rail
830mm - 950x950x950 rail
880mm - 1000x1000x100 rail
1030mm - 1150x1150x1150 rail
1330mm - 1200x1450x1150 rail

This dimension is fixed, the rail cannot be trimmed on this side

Frame: Aluminium alloy. White finsh. Extruded to BS EN 755-9

© CORAM SHOWERS LTD 2016

Half height doors
ELEVATE DOOR - parts



Instructions 71931

Screwpacks 80725 Door
80727 Alcove closure
80731 Instructions scrwpk

© CORAM SHOWERS LTD 2016

Half height doors
FREEGLIDE DOOR - parts



Instructions 71930

Screwpacks 80726 Door
80718 Handle
80731 Instructions scrwpk

© CORAM SHOWERS LTD 2016

Half height doors
FIXED PANEL - parts

ELEVATE FIXED PANEL



Instructions 71931

Screwpack 80723
Instructions scrpk 80730

FREEGLIDE FIXED PANEL



Instructions 71930

Screwpack 80724
Instructions scrpk 80731

© CORAM SHOWERS LTD 2016

Half height doors
SHOWER CURTAIN RAIL - parts

STRAIGHT RAIL



Curtain stop strip
40010



Hooks & gliders
50050

WALL MOUNT



L SHAPED RAIL



CEILING MOUNT



U SHAPED RAIL



Instructions 71929

Screwpacks 80732 (instructions)
80720 (straight rails)
80721 (L & U rails)
80732 Instructions scrwpk

© CORAM SHOWERS LTD 2016

Half height doors
WINDOW BRIDGE & EXTENSION CHANNEL KIT

EXTENSION CHANNEL PACK



The pack includes 1 extension channel that will increase the width of a door or fixed panel by 20mm.

To extend both sides of a corner installation, 2 packs will be necessary

If necessary, 2 channels can be 'nested' to increase the width of a door by 40mm.

Instructions 71933

Screwpack 80719

WINDOW BRIDGE KIT

The kit allows 3 types of installation as shown



Instructions 71932

Screwpack 80722

© CORAM SHOWERS LTD 2016